ELSEVIER

European Journal of Pharmacology 336 (1997) 299–301

ejp

# Author index

Adami, M., see Di Santo, E. (336) 197
Angelucci, L., see Patacchioli, F.R. (336) 159
Aoki, K., Ohmori, M., Takimoto, M., Ota, H. and Yoshida, T.
Cocaine-induced liver injury in mice is mediated by nitric oxide and reactive oxygen species (336) 43
Araki, S.-i., see Togawa, M. (336) 291
Aslan, N., see Tellioğlu, T. (336) 163

Balasubramaniam, A., see McDermott, B.J. (336) 257
Bandarage, U.K., see Maisonneuve, I.M. (336) 123
Baron, B.M., see Petty, M.A. (336) 127
Bazzani, C., see Guarini, S. (336) 15
Bell, D., see McDermott, B.J. (336) 257
Bertolini, A., see Guarini, S. (336) 15
Bertorelli, R., see Di Santo, E. (336) 197
Bini, A., see Guarini, S. (336) 15
Browning, R.A., Wood, A.V., Merrill, M.A., Dailey, J.W. and Jobe, P.C.
Enhancement of the anticonvulsant effect of fluoxetine following blockade of 5-$HT_{1A}$ receptors (336) 1
Burkey, T.H., Quock, R.M., Consroe, P., Ehlert, F.J., Hosohata, Y., Roeske, W.R. and Yamamura, H.I.
Relative efficacies of cannabinoid $CB_1$ receptor agonists in the mouse brain (336) 295
Burlet, H., see Marchand, V. (336) 187

Cainazzo, M.-M., see Guarini, S. (336) 15
Cheng, Y.-W. and Kang, J.-J.
Mechanism of vasorelaxation of thoracic aorta caused by xanthone (336) 23
Cohen, C., Perrault, G. and Sanger, D.J.
Effects of dihydropyridine $Ca^{2+}$ channel blockers on the discriminative stimulus and the motor impairing effects of (±)-Bay K 8644 (336) 113
Colangelo, V., see Patacchioli, F.R. (336) 159
Consroe, P., see Burkey, T.H. (336) 295
Coy, D.H., see Rossowski, W.J. (336) 51

Dailey, J.W., see Browning, R.A. (336) 1
Davies, M.F., see Fang, F. (336) 137
Delchier, J.C., see Kiss, J. (336) 219
Dewar, K.M., Rompré, P.-P., Stewart, J. and Warren, R.A.
Excitotoxic lesions of the prefrontal cortex reduce dopamine $D_1$-like receptors in the ventral tegmental area (336) 155
De Zeeuw, D., see Filipeanu, C.M. (336) R1
Di Grezia, R., see Patacchioli, F.R. (336) 159
Dirsch, V.M., Kiemer, A.K., Wagner, H. and Vollmar, A.M.
The triterpenoid quinonemethide pristimerin inhibits induction of inducible nitric oxide synthase in murine macrophages (336) 211
Di Santo, E., Adami, M., Bertorelli, R. and Ghezzi, P.
Systemic interleukin 10 administration inhibits brain tumor necrosis factor production in mice (336) 197
Docherty, J.R., see O'Rourke, M. (336) 37
Dolan, F.M., see McDermott, B.J. (336) 257
Dragsted, N., see Ipsen, M. (336) 29

Ehlert, F.J., see Burkey, T.H. (336) 295
Elands, J., see Petty, M.A. (336) 127
Elger, B., Hornberger, W., Schwarz, M. and Seega, J.
MRI study on delayed ancrod therapy of focal cerebral ischaemia in rats (336) 7

Fang, F., Guo, T.-Z., Davies, M.F. and Maze, M.
Opiate receptors in the periaqueductal gray mediate analgesic effect of nitrous oxide in rats (336) 137
Fawzi, A.B., Zhang, H., Weig, B., Hawes, B. and Graziano, M.P.
Nociceptin activation of the human $ORL_1$ receptor expressed in Chinese hamster ovary cells: Functional homology with opioid receptors (336) 233
Filipeanu, C.M., De Zeeuw, D. and Nelemans, S.A.
$\Delta^9$-Tetrahydrocannabinol activates $[Ca^{2+}]_i$ increases partly sensitive to capacitative store refilling (336) R1
Fink, J.S., see Peterfreund, R.A. (336) 71
Forster, C., see Le Tran, Y. (336) 177
Fuchey, C., see Marchand, V. (336) 187
Fukunaga, K., see Sugimura, M. (336) 99
Fukushi, Y., Ozawa, T., Kanno, T. and Wakui, M.
$Na^+$-dependent release of intracellular $Ca^{2+}$ induced by purinoceptors in parotid acinar cells of the rat (336) 89

Gavin, K., see O'Rourke, M. (336) 37
Ghezzi, P., see Di Santo, E. (336) 197
Gies, E.K., see Peterfreund, R.A. (336) 71
Glick, S.D., see Maisonneuve, I.M. (336) 123
Gören, Z., see Tellioğlu, T. (336) 163
Goto, M., see Inagaki, N. (336) 225
Graziano, M.P., see Fawzi, A.B. (336) 233
Guarini, S., Bini, A., Bazzani, C., Ricigliano, G.M., Cainazzo, M.-M., Tomasi, A. and Bertolini, A.
Adrenocorticotropin normalizes the blood levels of nitric oxide in hemorrhage-shocked rats (336) 15
Guo, T.-Z., see Fang, F. (336) 137

Hamel, E., see Petty, M.A. (336) 127
Han, C., see Ipsen, M. (336) 29
Haneda, M., see Togawa, M. (336) 291
Hawes, B., see Fawzi, A.B. (336) 233
Hayashi, S., see Suma, C. (336) 283
Hibert, M., see Petty, M.A. (336) 127
Hidaka, H., see Togawa, M. (336) 291
Hisamichi, N., see Suzuki, K.-i. (336) 169
Hiyama, H., see Inagaki, N. (336) 225
Hornberger, W., see Elger, B. (336) 7
Hosohata, Y., see Burkey, T.H. (336) 295

Inagaki, N., Kawasaki, H., Hiyama, H., Goto, M., Matsuo, A. and Nagai, H.
Inhibitory mechanisms of β-adrenoceptor agonists for immunoglobulin E-mediated experimental allergic reactions in rats (336) 225
Inagaki, O., see Suzuki, K.-i. (336) 169

Ipsen, M., Zhang, Y., Dragsted, N., Han, C. and Mulvany, M.J.
The antipsychotic drug sertindole is a specific inhibitor of $\alpha_{1A}$-adrenoceptors in rat mesenteric small arteries (336) 29
Isono, M., see Togawa, M. (336) 291

Jiang, N.-Y., see Rossowski, W.J. (336) 51
Jobe, P.C., see Browning, R.A. (336) 1
Johnson, M.P., see Petty, M.A. (336) 127

Kaku, S., see Suzuki, K.-i. (336) 169
Kang, J.-J., see Cheng, Y.-W. (336) 23
Kanno, T., see Fukushi, Y. (336) 89
Kashiwagi, A., see Togawa, M. (336) 291
Kawasaki, H., see Inagaki, N. (336) 225
Kawasaki, T., see Suzuki, K.-i. (336) 169
Kedves, R., see Székely, J.I. (336) 143
Kiemer, A.K., see Dirsch, V.M. (336) 211
Kikkawa, R., see Togawa, M. (336) 291
Kimura, K., see Suma, C. (336) 283
Kiss, J., Lamarque, D., Delchier, J.C. and Whittle, B.J.R.
Time-dependent actions of nitric oxide synthase inhibition on colonic inflammation induced by trinitrobenzene sulphonic acid in rats (336) 219
Környei, J.L., Vértes, Z., Oszter, A., Kovács, S. and Vértes, M.
Opioid peptides inhibit the estradiol-induced proliferation of cultured rat uterine cells (336) 65
Kovács, S., see Környei, J.L. (336) 65
Kuehne, M.E., see Maisonneuve, I.M. (336) 123

Lamarque, D., see Kiss, J. (336) 219
Lee, W.S., see Petty, M.A. (336) 127
Le Tran, Y. and Forster, C.
Chloroethylclonidine and $\alpha$-adrenoceptor agonist interaction in blood vessels following heart failure (336) 177
Lin, C.-N., see Wang, J.-P. (336) 81
Linnik, M.D., see Petty, M.A. (336) 127

Maisonneuve, I.M., Visker, K.E., Mann, G.L., Bandarage, U.K., Kuehne, M.E. and Glick, S.D.
Time-dependent interactions between iboga agents and cocaine (336) 123
Mancini, L., see Mennini, T. (336) 275
Mann, G.L., see Maisonneuve, I.M. (336) 123
Marchand, V., Tournier, J.-M., Polette, M., Nawrocki, B., Fuchey, C., Pierrot, D., Burlet, H. and Puchelle, E.
The elastase-induced expression of secretory leukocyte protease inhibitor is decreased in remodelled airway epithelium (336) 187
Masuho, Y., see Suzuki, K.-i. (336) 169
Máté, I., see Székely, J.I. (336) 143
Matsuo, A., see Inagaki, N. (336) 225
Maze, M., see Fang, F. (336) 137
McCarty, D.R., see Petty, M.A. (336) 127
McDermott, B.J., Millar, B.C., Dolan, F.M., Bell, D. and Balasubramaniam, A.
Evidence for $Y_1$ and $Y_2$ subtypes of Neuropeptide Y receptors linked to opposing postjunctional effects observed in rat cardiac myocytes (336) 257
Mennini, T., Mancini, L., Reggiani, A. and Trist, D.
GV 150526A, 7-Cl-kynurenic acid and HA 966 antagonize the glycine enhancement of *N*-methyl-D-aspartate-induced [$^3$H]noradrenaline and [$^3$H]dopamine release (336) 275
Merrill, M.A., see Browning, R.A. (336) 1
Millar, B.C., see McDermott, B.J. (336) 257
Missale, C., see Sigala, S. (336) 107
Miyamoto, E., see Sugimura, M. (336) 99
Morishima, Y., see Sugimura, M. (336) 99
Moskowitz, M.A., see Petty, M.A. (336) 127
Mulvany, M.J., see Ipsen, M. (336) 29

Nagai, H., see Inagaki, N. (336) 225
Nakayama, W., see Sugimura, M. (336) 99
Nawrocki, B., see Marchand, V. (336) 187
Nelemans, S.A., see Filipeanu, C.M. (336) R1
Nishio, E. and Watanabe, Y.
Role of the lipoxygenase pathway in phenylephrine-induced vascular smooth muscle cell proliferation and migration (336) 267

Ohmori, M., see Aoki, K. (336) 43
Ohsawa, M., see Yoshino, S. (336) 203
Oktay, Ş., see Tellioğlu, T. (336) 163
Omitsu, M., see Sugimura, M. (336) 99
Onat, F., see Tellioğlu, T. (336) 163
O'Rourke, M., Gavin, K. and Docherty, J.R.
Further investigation of the $\alpha$-adrenoceptor-mediated actions of chloroethylclonidine in rat aorta (336) 37
Orzi, F., see Patacchioli, F.R. (336) 159
Oszter, A., see Környei, J.L. (336) 65
Ota, H., see Aoki, K. (336) 43
O'Valle, F., see Ruiz-Ginés, J.A. (336) 251
Ozawa, T., see Fukushi, Y. (336) 89

Patacchioli, F.R., Pontieri, F.E., Di Grezia, R., Colangelo, V., Angelucci, L. and Orzi, F.
Increased functional response to cocaine challenge following recovery from chronic corticosterone in the rat (336) 159
Pérez-Caballero, C., see Ruiz-Ginés, J.A. (336) 251
Perrault, G., see Cohen, C. (336) 113
Peterfreund, R.A., Gies, E.K. and Fink, J.S.
Protein kinase C regulates adenosine A2a receptor mRNA expression in SH-SY5Y cells (336) 71
Petty, M.A., Elands, J., Johnson, M.P., Linnik, M.D., Hamel, E., Moskowitz, M.A., Lee, W.S., McCarty, D.R., Hibert, M. and Baron, B.M.
The selectivity of MDL 74,721 in models of neurogenic versus vascular components of migraine (336) 127
Pierrot, D., see Marchand, V. (336) 187
Polette, M., see Marchand, V. (336) 187
Pontieri, F.E., see Patacchioli, F.R. (336) 159
Puchelle, E., see Marchand, V. (336) 187

Quock, R.M., see Burkey, T.H. (336) 295

Raung, S.-L., see Wang, J.-P. (336) 81
Reggiani, A., see Mennini, T. (336) 275
Ricigliano, G.M., see Guarini, S. (336) 15
Rodríguez-Puyol, D., see Ruiz-Ginés, J.A. (336) 251
Rodríguez-Puyol, M., see Ruiz-Ginés, J.A. (336) 251
Roeske, W.R., see Burkey, T.H. (336) 295
Rompré, P.-P., see Dewar, K.M. (336) 155
Rossowski, W.J., Jiang, N.-Y. and Coy, D.H.
Adrenomedullin, amylin, calcitonin gene-related peptide and their fragments are potent inhibitors of gastric acid secretion in rats (336) 51
Ruiz-Ginés, J.A., Pérez-Caballero, C., O'Valle, F., Rodríguez-Puyol, M. and Rodríguez-Puyol, D.
Captopril inhibits pp60$^{c\text{-}src}$ tyrosine phosphorylation in cultured human mesangial cells (336) 251
Rundfeldt, C.
The new anticonvulsant retigabine (D-23129) acts as an opener of $K^+$ channels in neuronal cells (336) 243

Sakai, Y., see Suzuki, K.-i. (336) 169
Sanger, D.J., see Cohen, C. (336) 113
Sato, K., see Suzuki, K.-i. (336) 169

Sato, T., see Sugimura, M. (336) 99
Schwarz, M., see Elger, B. (336) 7
Seega, J., see Elger, B. (336) 7
Shirasaki, Y., see Sugimura, M. (336) 99
Sigala, S., Missale, C. and Spano, P.
Opposite effects of dopamine $D_2$ and $D_3$ receptors on learning and memory in the rat (336) 107
Spano, P., see Sigala, S. (336) 107
Stewart, J., see Dewar, K.M. (336) 155
Sugimoto, T., see Togawa, M. (336) 291
Sugimura, M., Sato, T., Nakayama, W., Morishima, Y., Fukunaga, K., Omitsu, M., Miyamoto, E. and Shirasaki, Y.
DY-9760e, a novel calmodulin antagonist with cytoprotective action (336) 99
Suma, C., Hayashi, S., Ukai, Y., Yoshikuni, Y. and Kimura, K.
$Na^+$ and high-voltage-activated $Ca^{2+}$ channel blocking actions of NS-7, a novel neuroprotective agent, in NG108-15 cells (336) 283
Suzuki, K.-i., Sakai, Y., Hisamichi, N., Taniuchi, Y., Sato, K., Terazaki, C., Kaku, S., Kawasaki, T., Yano, S., Inagaki, O. and Masuho, Y.
Comparison of the antiplatelet effect of YM337 and abciximab in rhesus monkeys (336) 169
Székely, J.I., Kedves, R., Máté, I., Török, K. and Tarnawa, I.
Apparent antinociceptive and anti-inflammatory effects of GYKI 52466 (336) 143

Takimoto, M., see Aoki, K. (336) 43
Taniuchi, Y., see Suzuki, K.-i. (336) 169
Tarnawa, I., see Székely, J.I. (336) 143
Tellioğlu, T., Aslan, N., Gören, Z., Onat, F. and Oktay, Ş.
Role of the AV3V region in the pressor responses induced by amygdala stimulation (336) 163
Terazaki, C., see Suzuki, K.-i. (336) 169
Togawa, M., Haneda, M., Araki, S.-i., Sugimoto, T., Isono, M., Hidaka, H., Yasuda, H., Kashiwagi, A. and Kikkawa, R.
Beraprost sodium, an analogue of prostacyclin, induces the expression of mitogen-activated protein kinase phosphatase and inhibits the proliferation of cultured mesangial cells (336) 291
Tomasi, A., see Guarini, S. (336) 15
Török, K., see Székely, J.I. (336) 143
Tournier, J.-M., see Marchand, V. (336) 187
Trist, D., see Mennini, T. (336) 275
Tsao, L.-T., see Wang, J.-P. (336) 81

Ukai, Y., see Suma, C. (336) 283

Vértes, M., see Környei, J.L. (336) 65
Vértes, Z., see Környei, J.L. (336) 65
Visker, K.E., see Maisonneuve, I.M. (336) 123
Vollmar, A.M., see Dirsch, V.M. (336) 211

Wagner, H., see Dirsch, V.M. (336) 211
Wakui, M., see Fukushi, Y. (336) 89
Wang, J.-P., Raung, S.-L., Tsao, L.-T. and Lin, C.-N.
Evidence for the involvement of protein kinase C inhibition by norathyriol in the reduction of phorbol ester-induced neutrophil superoxide anion generation and aggregation (336) 81
Warren, R.A., see Dewar, K.M. (336) 155
Watanabe, Y., see Nishio, E. (336) 267
Weig, B., see Fawzi, A.B. (336) 233
Whittle, B.J.R., see Kiss, J. (336) 219
Wood, A.V., see Browning, R.A. (336) 1

Yamamura, H.I., see Burkey, T.H. (336) 295
Yano, S., see Suzuki, K.-i. (336) 169
Yasuda, H., see Togawa, M. (336) 291
Yoshida, T., see Aoki, K. (336) 43
Yoshikuni, Y., see Suma, C. (336) 283
Yoshino, S. and Ohsawa, M.
Effect of a monoclonal antibody against interleukin-4 on the induction of oral tolerance in mice (336) 203

Zhang, H., see Fawzi, A.B. (336) 233
Zhang, Y., see Ipsen, M. (336) 29